



MBR20F60FCTS-B1-W5094HF

Schottky Diodes

" +LJK IUHTXHQF\ RSHUDWLRQ
 " +LJK SXULW\ KLJK WHPSHUDWXUH HSR[\ HQ
 HQKDQFHG PHFKDQFGBDOPVÀHQOWK6 FRPSO
 " Terminals 7LQ SODWHG OHDG

šā ß a M

Repetitive Peak Reverse Voltage	VRRM	V	60
Average Rectified Output Current 4 60H n sine wave ž R-load 1 90	,2	\$	

6XUJH 1RQ UHSHWLWLYH)RUZDUG &XUUHQW

IRUZDUG YROWDJH GURS SHU GLRGH

--	--

0D[LPXP ' & UHYHUVH 550UHQW DW UDWHG ' & EOR FNQJ YROWDJH SHU GLRGH	,550	950 9550 7D -	950 9550 7D -	

1RWH 3XOVH WHVW X6 SXOVH ZLGK GXW\ F\FOH

1RWH 3XOVH WHVW SXOVH ZLGK P6




MBR20F60FCTS-B1-W5094HF

Thermal Characteristics 7D



MBR20F60FCTS-B1-W5094HF

Outline Dimensions



ITO-220AB		
'LP	0LQ	0D[
\$		
%		
&		
'		
(
)		
*		
+	7 < 3	
,	7 < 3	
-		
.		
/		
0		
1		
2	7 < 3	
3		
4		
5		
6	7 < 3	
7		
8		
9		



MBR20F60FCTS-B1-W5094HF

Disclaimer

7KH LQIRUPDWLRQ VSHFLDOLVHG LQ WKLV DOKUMENT IS NOT TO BE USED FOR THE DESIGN OR CONSTRUCTION OF ANY ELECTRICAL SYSTEM. THE USER SHALL BE RESPONSIBLE FOR THE PROPER USE OF THIS PRODUCT. THE USER SHALL BE RESPONSIBLE FOR THE PROPER USE OF THIS PRODUCT.

7KH SURGXFW LV VSHFLDOLVHG WR EH XPRWVWZLWK RWKHU IHTXLSPHQW RU GHYLFHV ZKLFK UHTXLUH KHKE DIOXZ LWV WKLQJ. THE USER SHALL BE RESPONSIBLE FOR THE PROPER USE OF THIS PRODUCT. THE USER SHALL BE RESPONSIBLE FOR THE PROPER USE OF THIS PRODUCT.

7KLV SXEOLFDFWLRQ IS NOT TO BE USED FOR THE DESIGN OR CONSTRUCTION OF ANY ELECTRICAL SYSTEM. THE USER SHALL BE RESPONSIBLE FOR THE PROPER USE OF THIS PRODUCT. THE USER SHALL BE RESPONSIBLE FOR THE PROPER USE OF THIS PRODUCT.